
Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: [year=2010; month=3; day=30; hr=14; min=53; sec=12; ms=838;]

Validated By CRFValidator v 1.0.3

Application No: 10587723 Version No: 1.0

Input Set:

Output Set:

Started: 2010-03-23 14:30:29.458

Finished: 2010-03-23 14:30:33.533

Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 75 ms

Total Warnings: 212

Total Errors: 0

No. of SeqIDs Defined: 212

Actual SeqID Count: 212

Error code		Error Descripti	on								
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(18)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(19)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(20)

Input Set:

Output Set:

Started: 2010-03-23 14:30:29.458 **Finished:** 2010-03-23 14:30:33.533

Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 75 ms

Total Warnings: 212
Total Errors: 0

No. of SeqIDs Defined: 212

Actual SeqID Count: 212

Error code Error Description

This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

```
<110> MILLER, JEFFREY C.
      ZHANG, LEI
<120> METHODS AND COMPOSITIONS FOR TARGETED CLEAVAGE AND RECOMBINATION
<130> 8325-0036.31
<140> 10587723
<141> 2010-03-23
<150> PCT/US04/25407
<151> 2004-08-06
<150> 60/542,780
<151> 2004-02-05
<150> 60/556,831
<151> 2004-03-26
<150> 60/575,919
<151> 2004-06-01
<150> 10/912,932
<151> 2004-08-06
<160> 212
<170> PatentIn version 3.3
<210> 1
<211> 44
<212> DNA
<213> Artificial
<220>
<223> human hSMC1L1 gene
<220>
<221> misc_feature
<222> (5)..(16)
<223> Target sequence for the hSMC1-specific ZFP
<220>
<221> misc_feature
<222> (23)..(34)
<223> Target sequence for the hSMC1-specific ZFP
ctgccgccgg cgccgcggcc gtcatggggt tcctgaaact gatt
                                                                     44
```

<210> 2 <211> 7

```
<212> PRT
<213> Artificial
<220>
<223> human hSMC1L1 gene
<400> 2
Met Gly Phe Leu Lys Leu Ile
              5
<210> 3
<211> 47
<212> DNA
<213> Artificial
<220>
<223> human x chromosome SMC1 region
<400> 3
ctgccgccgg cgccgcggcc gtcatggggt tcctgaaact gattgag
                                                                    47
<210> 4
<211> 8
<212> PRT
<213> Artificial
<220>
<223> human x chromosome SMC1 region
<400> 4
Met Gly Phe Leu Lys Leu Ile Glu
              5
<210> 5
<211> 50
<212> DNA
<213> Artificial
<220>
<223> artificial donor oligonucleotide
<400> 5
ctgccgccgg cgccgcggcc gtcataagaa gcttcctgaa actgattgag
                                                                    50
<210> 6
<211> 463
<212> DNA
<213> Artificial
<220>
<223> an amplification product derived from a mutated hSMC1 gene
```

```
<400> 6
tagtcctgca ggtttaaacg aattcgccct tctcagcaag cgtgagctca ggtctccccc
                                                                     60
gcctccttga acctcaagaa ctgctctgac tccgcccagc aacaactcct ccggggatct
                                                                     120
                                                                    180
ggtccgcagg agcaagtgtt tgttgttgcc atgcaacaag aaaagggggc ggaggcacca
cgccaqtcgt cagctcgctc ctcgtatacg caacatcagt ccccqcccct ggtcccactc
                                                                    240
ctgccggaag gcgaagatcc cgttaggcct ggacgtattc tcgcgacatt tgccggtcgc
                                                                     300
ccggcttgca ctgcggcgtt tcccgcgcgg gctacctcag ttctcgggcg tacggcgcgg
                                                                     360
cctgtcctac tgctgccggc gccgcggccg tcataagaag cttcctgaaa ctgattgaag
                                                                     420
                                                                     463
ggcgaattcg cggccgctaa attcaattcg ccctatagtg agt
<210> 7
<211> 50
<212> DNA
<213> Artificial
<220>
<223> human IL2Rgamma gene
<220>
<221> misc_feature
<222> (8)..(16)
<223> Target sequence for the second pair of IL2Rgamma-specific ZFP
<220>
<221> misc_feature
<222> (23)..(34)
<223> Target sequence for the second pair of IL2Rgamma-specific ZFP
<400> 7
cttccaacct ttctcctcta ggtacaagaa ctcggataat gataaagtcc
                                                                      50
<210> 8
<211> 9
<212> PRT
<213> Artificial
<220>
<223> human IL2Rgamma gene
<400> 8
Tyr Lys Asn Ser Asp Asn Asp Lys Val
```

```
<211> 59
<212> DNA
<213> Artificial
<220>
<223> IL2Rgamma gene
<400> 9
gttcctcttc cttccaacct ttctcctcta ggtacaagaa ctcggataat gataaagtc
                                                                     59
<210> 10
<211> 9
<212> PRT
<213> Artificial
<220>
<223> IL2Rgamma gene
<400> 10
Tyr Lys Asn Ser Asp Asn Asp Lys Val
<210> 11
<211> 59
<212> DNA
<213> Artificial
<220>
<223> artificial donor oligonucleotide
<400> 11
gttcctcttc cttccaacct ttctcctcta ggtaaaagaa ttccgacaac gataaagtc
<210> 12
<211> 624
<212> DNA
<213> Artificial
<220>
<223> mutated IL2Rgamma gene
<400> 12
tagtcctgca ggtttaaacg aattcgccct ttcctctagg taaaagaatt ccgacaacga
taaagtccag aagtgcagcc actatctatt ccctgaagaa atcacttctg gctgtcagtt
                                                                   120
gcaaaaaaag gagatccacc tctaccaaac atttgttgtt cagctccagg acccacggga
                                                                  180
acccaggaga caggccacac agatgctaaa actgcagaat ctgggtaatt tggaaagaaa
                                                                    240
gggtcaagag accagggata ctgtgggaca ttggagtcta cagagtagtg ttcttttatc
                                                                    300
```

ataagggtac atgggcagaa aagaggaggt aggggatcat gatgggaagg gaggaggtat

360

taggggcact accttca	agga tcctgacttg	tctaggccag	gggaatgacc	acatatgcac	420
acatatctcc agtgat	cccc tgggctccag	agaacctaac	acttcacaaa	ctgagtgaat	480
cccagctaga actgaa	ctgg aacaacagat	tcttgaacca	ctgtttggag	cacttggtgc	540
agtaccggac taaggg	cgaa ttcgcggccg	ctaaattcaa	ttcgccctat	agtgagtegt	600
attacaattc actggc	egte gttt				624
<210> 13 <211> 700 <212> DNA <213> Artificial <220> <223> human beta-	-globin gene				
<400> 13 tactgatggt atgggg	ccaa gagatatatc	ttagagggag	ggctgagggt	ttgaagtcca	60
actcctaagc cagtgc	caga agagccaagg	acaggtacgg	ctgtcatcac	ttagacctca	120
ccctgtggag ccacac	ccta gggttggcca	atctactccc	aggagcaggg	agggcaggag	180
ccagggctgg gcataa	aagt cagggcagag	ccatctattg	cttacatttg	cttctgacac	240
aactgtgttc actagc	aacc tcaaacagac	accatggtgc	atctgactcc	tgaggagaag	300
tctgccgtta ctgccc	tgtg gggcaaggtg	aacgtggatg	aagttggtgg	tgaggccctg	360
ggcaggttgg tatcaa	ggtt acaagacagg	tttaaggaga	ccaatagaaa	ctgggcatgt	420
ggagacagag aagact	cttg ggtttctgat	aggcactgac	tctctctgcc	tattggtcta	480
ttttcccacc cttagg	ctgc tggtggtcta	cccttggacc	cagaggttct	ttgagtcctt	540
tggggatctg tccacto	cctg atgctgttat	gggcaaccct	aaggtgaagg	ctcatggcaa	600
gaaagtgctc ggtgcc	ttta gtgatggcct	ggctcacctg	gacaacctca	agggcacctt	660
tgccacactg agtgag	ctgc actgtgacaa	gctgcacgtg			700

<210> 14

<211> 408

<212> DNA

<213> Artificial

<220>

<223> an amplification product derived from a mutated beta-globin gene

<400> 14

tgcttaccaa gctgtgattc caaatattac gtaaatacac ttgcaaagga ggatgtttt 60

```
agtagcaatt tgtactgatg gtatggggcc aagagatata tcttagaggg agggctgagg
                                                                    120
gtttgaagtc caactectaa gecagtgeca gaagagecaa ggacaggtae ggetgteate
                                                                  180
acttagacct caccctgtgg agccacaccc tagggttggc caatctactc ccaggagcag
                                                                    240
                                                                   300
ggagggcagg agccagggct gggcataaaa gtcagggcag agccatctat tgcttacatt
tgcttctgac acaactgtgt tcactagcaa cctcaaacag acaccatggt gcatctgact
                                                                    360
                                                                    408
cctgaggaga agtctggcgt tagtgcccga attccgatcg tcaaccac
<210> 15
<211> 42
<212> DNA
<213> Artificial
<220>
<223> IL-2Rgamma gene
<220>
<221> misc_feature
<222> (1)..(13)
<223> target sequences for the 5-10 ZFP/FokI fusion protein
<220>
<221> misc_feature
<222> (31)..(42)
<223> target sequences for the 5-8 ZFP/FokI fusion protein
<400> 15
                                                                     42
cacgtttcgt gttcggagcc gctttaaccc actctgtgga ag
<210> 16
<211> 336
<212> PRT
<213> Artificial
<220>
<223> 5-8 ZFP/FokI fusion
<220>
<221> MISC_FEATURE
<222> (1)..(17)
<223> NLS
<220>
<221> MISC_FEATURE
<222> (18)..(130)
<223> ZFP
<220>
```

<221> MISC_FEATURE

```
<222> (131)..(140)
<223> ZC linker
<220>
<221> MISC_FEATURE
<222> (141)..(336)
<223> FokI cleavage half-domain
<400> 16
Met Ala Pro Lys Lys Lys Arg Lys Val Gly Ile His Gly Val Pro Ala
   5
               10
Ala Met Ala Glu Arq Pro Phe Gln Cys Arq Ile Cys Met Arq Asn Phe
       20 25
Ser Arg Ser Asp Asn Leu Ser Glu His Ile Arg Thr His Thr Gly Glu
 35 40
Lys Pro Phe Ala Cys Asp Ile Cys Gly Arg Lys Phe Ala Arg Asn Ala
            55
His Arg Ile Asn His Thr Lys Ile His Thr Gly Ser Gln Lys Pro Phe
65 70 75 80
Gln Cys Arg Ile Cys Met Arg Asn Phe Ser Arg Ser Asp Thr Leu Ser
           85
                   9.0
Glu His Ile Arg Thr His Thr Gly Glu Lys Pro Phe Ala Cys Asp Ile
       100 105 110
Cys Gly Arg Lys Phe Ala Ala Arg Ser Thr Arg Thr Thr His Thr Lys
     115 120
Ile His Leu Arg Gln Lys Asp Ala Ala Arg Gly Ser Gln Leu Val Lys
  130 135 140
Ser Glu Leu Glu Glu Lys Lys Ser Glu Leu Arg His Lys Leu Lys Tyr
        150
                     155 160
145
Val Pro His Glu Tyr Ile Glu Leu Ile Glu Ile Ala Arg Asn Ser Thr
           165
                     170
```

Gln Asp Arg Ile Leu Glu Met Lys Val Met Glu Phe Phe Met Lys Val 180 185 190 Tyr Gly Tyr Arg Gly Lys His Leu Gly Gly Ser Arg Lys Pro Asp Gly 200 Ala Ile Tyr Thr Val Gly Ser Pro Ile Asp Tyr Gly Val Ile Val Asp 210 215 220 Thr Lys Ala Tyr Ser Gly Gly Tyr Asn Leu Pro Ile Gly Gln Ala Asp 225 230 235 240 Glu Met Gln Arg Tyr Val Glu Glu Asn Gln Thr Arg Asn Lys His Ile 245 250 Asn Pro Asn Glu Trp Trp Lys Val Tyr Pro Ser Ser Val Thr Glu Phe 265 Lys Phe Leu Phe Val Ser Gly His Phe Lys Gly Asn Tyr Lys Ala Gln 275 280 285 Leu Thr Arg Leu Asn His Ile Thr Asn Cys Asn Gly Ala Val Leu Ser 295 300 290 Val Glu Glu Leu Leu Ile Gly Glu Met Ile Lys Ala Gly Thr Leu 305 310 315 320 Thr Leu Glu Glu Val Arg Arg Lys Phe Asn Asn Gly Glu Ile Asn Phe 325 330 <210> 17 <211> 339 <212> PRT <213> Artificial <220> <223> 5-10 ZFP/FokI fusion <220> <221> MISC_FEATURE <222> (1)..(17) <223> NLS <220> <221> MISC_FEATURE <222> (18)..(133)

<223> ZFP

```
<221> MISC_FEATURE
<222> (134)..(143)
<223> ZC linker
<220>
<221> MISC_FEATURE
<222> (144)..(339)
<223> FokI cleavage half-domain
<400> 17
Met Ala Pro Lys Lys Arg Lys Val Gly Ile His Gly Val Pro Ala
1 5 10 15
Ala Met Ala Glu Arg Pro Phe Gln Cys Arg Ile Cys Met Arg Asn Phe
       20
               25
Ser Arg Ser Asp Ser Leu Ser Arg His Ile Arg Thr His Thr Gly Glu
    35 40 45
Lys Pro Phe Ala Cys Asp Ile Cys Gly Arg Lys Phe Ala Asp Ser Ser
50 55 60
Asn Arg Lys Thr His Thr Lys Ile His Thr Gly Gly Gly Ser Gln
        70
                      75
Lys Pro Phe Gln Cys Arg Ile Cys Met Arg Asn Phe Ser Arg Ser Asp
        85 90 95
Ser Leu Ser Val His Ile Arg Thr His Thr Gly Glu Lys Pro Phe Ala
                 105
       100
                                   110
Cys Asp Ile Cys Gly Arg Lys Phe Ala Asp Arg Ser Asn Arg Ile Thr
  115 120 125
His Thr Lys Ile His Leu Arg Gln Lys Asp Ala Ala Arg Gly Ser Gln
 130 135
                             140
Leu Val Lys Ser Glu Leu Glu Glu Lys Lys Ser Glu Leu Arg His Lys
145 150 155 160
Leu Lys Tyr Val Pro His Glu Tyr Ile Glu Leu Ile Glu Ile Ala Arg
                 170
          165
```

Asn Ser Thr Gln Asp Arg Ile Leu Glu Met Lys Val Met Glu Phe Phe

185

190

180

Met Lys Val Tyr Gly Tyr Arg Gly Lys His Leu Gly Gly Ser Arg Lys 200 Pro Asp Gly Ala Ile Tyr Thr Val Gly Ser Pro Ile Asp Tyr Gly Val 210 215 Ile Val Asp Thr Lys Ala Tyr Ser Gly Gly Tyr Asn Leu Pro Ile Gly 225 230 235 Gln Ala Asp Glu Met Gln Arg Tyr Val Glu Glu Asn Gln Thr Arg Asn 245 250 Lys His Ile Asn Pro Asn Glu Trp Trp Lys Val Tyr Pro Ser Ser Val 260 265 Thr Glu Phe Lys Phe Leu Phe Val Ser Gly His Phe Lys Gly Asn Tyr 280 275 Lys Ala Gln Leu Thr Arg Leu Asn His Ile Thr Asn Cys Asn Gly Ala 290 295 Val Leu Ser Val Glu Glu Leu Leu Ile Gly Gly Glu Met Ile Lys Ala 305 310 315 320 Gly Thr Leu Thr Leu Glu Glu Val Arg Arg Lys Phe Asn Asn Gly Glu 325 330 Ile Asn Phe <210> 18 <211> 797 <212> DNA <213> Artificial <220> <223> enhanced Green Fluorescent Protein gene <400> 18 cgaattctgc agtcgacggt accgcgggcc cgggatccac cggtcgccac catggtgagc 60 aagggcgagg agctgttcac cggggtggtg cccatcctgg tcgagctgga cggcgacgta 120 180 aacggccaca agttcagcgt gtccggcgag ggcgagggcg atgccaccta cggcaagctg

accctgaagt	tcatctgcac	caccggcaag	ctgcccgtgc	cctggcccac	cctcgtgacc	240
accctgacct	acggcgtgca	gtgcttcagc	cgctaccccg	accacatgaa	gcagcacgac	300
ttcttcaagt	ccgccatgcc	cgaaggctac	gtccaggagc	gcaccatctt	cttcaaggac	360
gacggcaact	acaagacccg	cgccgaggtg	aagttcgagg	gcgacaccct	ggtgaaccgc	420
atcgagctga	agggcatcga	cttcaaggag	gacggcaaca	tcctggggca	caagctggag	480
tacaactaca	acagccacaa	cgtctatatc	atggccgaca	agcagaagaa	cggcatcaag	540
gtgaacttca	agatccgcca	caacatcgag	gacggcagcg	tgcagctcgc	cgaccactac	600
cagcagaaca	ccccatcgg	cgacggcccc	gtgctgctgc	ccgacaacca	ctacctgagc	660
acccagtccg	ccctgagcaa	agaccccaac	gagaagcgcg	atcacatggt	cctgctggag	720
ttcgtgaccg	ccgccgggat	cactctcggc	atggacgagc	tgtacaagta	aagcggccgc	780
gactctagat	cataatc					797

<210> 19

<211> 795

<212> DNA

<213> Artificial

<220>

<223> mutant defective eGFP gene

<400> 19

60 cgaattctgc agtcgacggt accgcgggcc cgggatccac cggtcgccac catggtgagc 120 aagggcgagg agctgttcac cggggtggtg cccatcctgg tcgagctgga cggcgacgta aacggccaca agttcagcgt gtccggcgag ggcgagggcg atgccaccta cggcaagctg 180 240 accetgaagt teatetgeae caceggeaag etgecegtge eetggeeeae eetegtgaee 300 accetgacet aeggegtgea gtgetteage egetaceeet aacaegaage agcaegaett 360 cttcaagtcc gccatgcccg aaggctacgt ccaggagcgc accatcttct tcaaggacga eggeaactae aagaceegeg eegaggtgaa gttegaggge gacaceetgg tgaacegeat 420 480 cgagctgaag ggcatcgact tcaaggagga cggcaacatc ctggggcaca agctggagta 540 caactacaac agccacaacg tctatatcat ggccgacaag cagaagaacg gcatcaaggt 600 gaacttcaag atccgccaca acatcgagga cggcagcgtg cagctcgccg accactacca gcagaacacc cccatcggcg acggccccgt gctgctgccc gacaaccact acctgagcac 660 ccagtccgcc ctgagcaaag accccaacga gaagcgcgat cacatggtcc tgctggagtt 720 cgtgaccgcc gccgggatca ctctcggcat ggacgagctg tacaagtaaa gcggccgcga 780

ctctagatca taatc 795

<210> 20 <211> 734 <212> DNA <213> Artificial <220> <223> eGFP insert in pCR(R)4-TOPO-GFPdonor5 <400> 20 ggcgaggagc tgttcaccgg ggtggtgccc atcctggtcg agctggacgg cgacgtaaac ggccacaagt tcagcgtgtc cggcgagggc gagggcgatg ccacctacgg caagctgacc 120 180 ctgaagttca tctgcaccac cggcaagctg cccgtgccct ggcccaccct cgtgaccacc ctgacctacg gcgtgcagtg cttcagccgc taccccgacc acatgaagca gcacgacttc 240 300 ttcaagtccg ccatgcccga aggctacgtc caggagcgca ccatcttctt caaggacgac 360 ggcaactaca agacccgcgc cgaggtgaag ttcgagggcg acaccctggt gaaccgcatc gagctgaagg gcatcgactt caaggaggac ggcaacatcc tggggcacaa gctggagtac 420 480 aactacaaca gccacaacgt ctatatcatg gccgacaagc agaagaacgg catcaaggtg aacttcaaga teegecacaa categaggae ggeagegtge agetegeega eeactaeeag 540 cagaacaccc ccatcggcga cggccccgtg ctgctgcccg acaaccacta cctgagcacc 600 660 cagteegeee tgageaaaga eeceaaegag aagegegate acatggteet getggagtte gtgaccgccg ccgggatcac tctcggcatg gacgagctgt acaagtaaag cggccgcgac 734 tctagatcat aatc <210> 21 <211> 1527 <212> DNA <213> Artificial <220> <223> eGFP insert in pCR(R)4-TOPO <400> 21 ggcgaggagc tgttcaccgg ggtggtgccc atcctggtcg agctggacgg cgacgtaaac 60 ggccacaagt tcagcgtgtc cggcgagggc gagggcgatg ccacctacgg caagctgacc 120

ctgaagttca tctgcaccac cggcaagctg cccgtgccct ggcccaccct cgtgaccacc

ctgacctacg gcgtgcagtg cttcagccgc taccccgacc acatgaagca gcacgacttc

180

240

ttcaagtccg ccatgccc	ga aggctacgtc	caggagcgca	ccatcttctt	caaggacgac	300
ggcaactaca agacccgc	gc cgaggtgaag	ttcgagggcg	acaccctggt	gaaccgcatc	360
gagetgaagg geategae	tt caaggaggac	ggcaacatcc	tggggcacaa	gctggagtac	420
aactacaaca gccacaac	gt ctatatcatg	gccgacaagc	agaagaacgg	catcaaggtg	480
aacttcaaga tccgccac	aa catcgaggac	ggcagcgtgc	agctcgccga	ccactaccag	540
cagaacaccc ccatcggc	ga cggccccgtg	ctgctgcccg	acaaccacta	cctgagcacc	600
cagteegeee tgageaaa	ga ccccaacgag	aagcgcgatc	acatggtcct	gctggagttc	660
gtgaccgccg ccgggatc	ac tctcggcatg	gacgagctgt	acaagtaaag	cggccgctcg	720
agtctagagg gcccgttt	aa acccgctgat	cagcctcgac	tgtgccttct	agttgccagc	780
catctgttgt ttgcccct	cc cccgtgcctt	ccttgaccct	ggaaggtgcc	actcccactg	840
tcctttccta ataaaatg	ag gaaattgcat	cgcattgtct	gagtaggtgt	cattctattc	900
tggggggtgg ggtggggc	ag gacagcaagg	gggaggattg	ggaagacaat	agcaggcatg	960
ctggggatgc ggtgggct	ct at				